

MITTEN[®]
par/by PLY GEM



**PRODUCT
SHOWCASE**
CANADIAN
ENGLISH EDITION

2016



Manufacturing and distributing premium products for over 50 years, Mitten has earned a solid reputation for its customer driven approach to service and unwavering dedication to distributing Premium Exterior Building Products.

1 VINYL SIDING	
InsulPlank II	4
Sentry	6
Highland	8
Oregon Pride.....	10
Southern Beaded	12
Vinyl Soffit	13
Traditional Trims & Accessories	14
Insulated Trims & Accessories.....	16
Vinyl Siding Colour Matrix	32
2 ALUMINUM	
Long Board Premium Aluminum	17
Ply Gem Aluminum.....	18
Aluminum Colour Matrix	34
3 SHAKE & STONE	
Novik Shake	20
Grand River Shake & Scallops.....	21
The Foundry Shake	21
GenStone	22
Novik Stone.....	23
4 WINDOWS & DOORS	
Windows & Doors	24
5 ACCENTS	
Ply Gem Blocks & Vents	25
Novik Shutters.....	26
Ply Gem Trim & Mouldings	26
Fence & Railing	27
Columns	27
6 BUILDING ENVELOPE	
House Wrap	28
Insulation, Sealants & Foams	28
7 TOOLS & EQUIPMENT	
Tools	29
Bending Equipment	29
Scaffolding & Ladders.....	29
Fasteners	29
8 CERTIFICATE OF CONFORMANCE / WARRANTY	
Certificate of Conformance / Warranty	30
9 MITTEN BRANCH LOCATIONS	
Mitten Sales and Manufacturing Locations	31

5 Reasons Vinyl Siding Remains the Top Home Exterior Design Choice!

Did you know? Vinyl siding is the primary cladding material on nearly one third of all new homes built.¹



1

BOOSTS CURB APPEAL



The colours of Mitten vinyl siding are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.



It's unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.



Those who re-sided their homes with vinyl siding recouped more than 78% of that cost when selling.²

2

NEVER ABSORBS WATER



Mitten by Ply Gem vinyl siding is Weather Resistant, Fade Resistant and Insect Resistant.

3

NEVER REQUIRES PAINTING



Requires no painting or caulking, just simple cleaning with a garden hose.



Vinyl siding is third-party tested and certified for quality and colour retention. The colour is inside the product not on top of the surface so it does not crack, peel or fade.

4

HIGH PERFORMANCE



Mitten by Ply Gem vinyl siding is virtually indestructible and resists wind speeds up to 195 mph/ 313kph.

5

PEACE OF MIND



Mitten by Ply Gem vinyl is backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.

¹20 14 Characteristics of New Housing Report, U.S. Census Bureau

²20 15 Cost vs. Value Report, Remodeling Magazine




Replicates the look of fiber cement, with a 6" profile in long lasting and maintenance free vinyl. With Fullback® Thermal Support, InsulPlank II helps reduce energy loss from thermal bridging and forms a tight weather resistant bond with an R-Value of 2.44. The strength of InsulPlank II is designed to withstand hurricane-force wind, provides additional impact resistance and adds rigidity to ensure panels lay straight on the wall. Added insulation also helps block outside noise.




Performance Features:

- INSULATED
- COLOUR MATCHED ALUMINUM & ACCESSORIES
- PREMIUM .055" THICKNESS (Premium Colours)
- PREMIUM .050" THICKNESS (Standard Colours)
- HURRICANE FORCE WIND SPEED RATED
- CONTOURED LOCK SYSTEM
- LOW GLOSS COLOUR-RICH FINISH
- LIFETIME COLOUR FADE PROTECTION
- LIMITED LIFETIME WARRANTY

Bold Premium Colours:




Natural Standard Colours:



D6" = Double 6" Horizontal


*** NEW for 2016**

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products



Double 6" Horizontal
Shown in Annapolis Blue


Length/ Pc :	
12'6"	3.81m
Width/ Pc :	
12"	30.4cm
Panels/ Ctn:	
8	
Coverage/ Ctn:	
100 sq. ft.	9.29 m ²
Nom. Thickness:	
Standard Colours	
.050"	1.27 mm
Premium Colours	
.055"	1.39 mm



Soft texture woodgrain shown in Richmond Red

Trims & Accessories:

InsulPlank II also has a variety of trims and accessories which can be found on page 16 of this catalog.



Shown in Annapolis Blue

1 MITTEN VINYL SIDING



Our premium product line offers a .044" thick panel and a complete selection of 21 Bold Premium & 16 Natural Standard colour options. Profiles feature a cedar-grain texture in a low-gloss finish with a distinctive deep silhouette for rich shadow lines. Board & Batten profile is also available for vertical applications.

Bold Premium Colours:

D4" DL4.5" B&B*	D4" DL4.5" B&B*	D4" DL4.5" B&B*	D4" DL4.5" B&B*			
Timber Bark	Danish Gold	Lighthouse Red	Sapphire Blue			
D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B			
Gunmetal Grey	Regatta Blue	Burnt Orange	Eggplant			
D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	
Annapolis Blue	Aviator Green	Richmond Red	Coffee Bean	Amber	Khaki Brown	
D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B
Grenadier Green	Muskoka Green	Rain Forest	Spring Moss	Caribou Brown	Chestnut Brown	Rockaway Grey

Performance Features:


- COLOUR MATCHED ALUMINUM & ACCESSORIES
- .044 THICK** PREMIUM .044" THICKNESS
- HURRICANE FORCE WIND SPEED RATED
- CONTOURED LOCK SYSTEM
- ROLL-OVER NAIL HEM
- LOW GLOSS** COLOUR-RICH FINISH
- LIFETIME COLOUR FADE PROTECTION
- LIMITED LIFETIME WARRANTY

***NEW for 2016**

Natural Standard Colours:

D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B
Frost	Bone	Ivory	Cypress	Stratus	Flagstone	Brownstone
D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B	D4" DL4.5" B&B
Clay	Hearthstone	Sandalwood	Ash	Sandcastle	Lite Maple	Saffron
D4" DL4.5" B&B	D4" DL4.5" B&B	D4" = Double 4" Horizontal B&B = Board & Batten		DL4.5" = Double 4.5" Dutchlap		
Satin Grey	Sage	Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products				

SENTRY 44 Series - Pictured below in Richmond Red, Muskoka Green, Regatta Blue & Amber



Double 4.5" Dutchlap
Shown in Chestnut Brown

Length/Pc: 12'1" 3.68m
Width/Pc: 9" 22.86cm
Panels/Ctn: 22
Coverage/Ctn: 200 sq. ft. 18.58 m²
Nom. Thickness: .044" 1.12 mm
Windload Data: 180 mph 290 KM/h

Double 4" Horizontal
Shown in Brownstone

Length/Pc: 12'6" 3.81m
Width/Pc: 8" 20.32cm
Panels/Ctn: 24
Coverage/Ctn: 200 sq. ft. 18.58 m²
Nom. Thickness: .044" 1.12 mm
Windload Data: 180 mph 290 KM/h

Board & Batten
Shown in Caribou Brown

Length/Pc: 10' 3.04cm
Width/Pc: 7" 17.78cm
Panels/Ctn: 17
Coverage/Ctn: 100 sq. ft. 9.29 m²
Nom. Thickness:
Standard Colours .045" 1.14 mm
Premium Colours .050" 1.27 mm
Windload Data: 195 mph 313KM/h



Rich cedar grain texture shown in Brownstone

Trims & Accessories:

Sentry also has a variety of trims and accessories which can be found on page 14 & 15 of this catalog.



Highland is our most complete product line offering a wide selection of 6 different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Ash

Performance Features:

- COLOUR MATCHED ALUMINUM & ACCESSORIES
- .042" THICK PREMIUM .042" THICKNESS
- HURRICANE FORCE WIND SPEED RATED
- CONTOURED LOCK SYSTEM
- ROLL-OVER NAIL HEM
- LOW GLOSS COLOUR-RICH FINISH
- LIFETIME COLOUR FADE PROTECTION
- LIMITED LIFETIME WARRANTY

Bold Premium Colours:

D4" DL4.5" DL5" T3"	D4" DL4.5" DL5" T3"	D4" DL4.5" DL5" T3"
Khaki Brown	Rockaway Grey	Grenadier Green

Trims & Accessories:

Highland also has a variety of trims and accessories which can be found on page 14 & 15 of this catalog.

Natural Standard Colours:

D4" D4.5" DL4.5" D5" DL5" T3" Frost	D4" D4.5" DL4.5" D5" DL5" T3" Bone	D4" D4.5" DL4.5" D5" DL5" T3" Ivory	D4" D4.5" DL4.5" D5" DL5" T3" Cypress	D4" D4.5" DL4.5" D5" DL5" T3" Stratus	D4" D4.5" DL4.5" D5" DL5" T3" Flagstone	D4" D4.5" DL4.5" D5" DL5" T3" Brownstone
D4" D4.5" DL4.5" D5" DL5" T3" Clay	D4" D4.5" DL4.5" D5" DL5" T3" Hearthstone	D4" D4.5" DL4.5" D5" DL5" T3" Sandalwood	D4" D4.5" DL4.5" D5" DL5" T3" Ash	D4" D4.5" DL4.5" D5" DL5" T3" Sandcastle *	D4" D4.5" DL4.5" D5" DL5" T3" Lite Maple *	D4" D4.5" DL4.5" D5" DL5" T3" Saffron *

D4" = Double 4" Horizontal
 D4.5" = Double 4.5" Horizontal
 D5" = Double 5" Horizontal
 DL4.5" = Double 4.5" Dutchlap
 DL5" = Double 5" Dutchlap
 T3" = Triple 3" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products



Triple Three

Shown in Satin Grey
 Length/ Pc : 12' / 3.66m
 Width/ Pc: 10" / 25.4cm
 Panels/ Ctn: 20
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .040" / 1.02 mm
 Windload Data: 155 mph / 249 KM/h

Double 5" Horizontal

Shown in Khaki Brown
 Length/ Pc : 12' / 3.66m
 Width/ Pc: 10" / 25.4cm
 Panels/ Ctn: 20
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .042" / 1.07 mm
 Windload Data: 160 mph / 257 KM/h

Double 5" Dutchlap

Shown in Saffron
 Length/ Pc : 12' / 3.66m
 Width/ Pc: 10" / 25.4cm
 Panels/ Ctn: 20
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .042" / 1.07 mm
 Windload Data: 160 mph / 257 KM/h

* Double 4.5" Horizontal

Shown in Stratus
 Length/ Pc : 12' / 3.68cm
 Width/ Pc: 9" / 22.86cm
 Panels/ Ctn: 22
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .042" / 1.07 mm
 Windload Data: 160 mph / 257 KM/h

* Double 4.5" Dutchlap

Shown in Hearthstone
 Length/ Pc : 12' / 3.68cm
 Width/ Pc: 9" / 22.86cm
 Panels/ Ctn: 22
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .042" / 1.07 mm
 Windload Data: 160 mph / 257 KM/h

Double 4" Horizontal

Shown in Flagstone
 Length/ Pc : 12'6" / 3.81m
 Width/ Pc: 8" / 20.32cm
 Panels/ Ctn: 24
 Coverage/ Ctn: 200 sq. ft. / 18.58 m²
 Nom. Thickness: .042" / 1.07 mm
 Windload Data: 160 mph / 257 KM/h

* NEW for 2016









Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Cypress

Performance Features:

-  COLOUR MATCHED ALUMINUM & ACCESSORIES
-  CLASSIC .040" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY

Trims & Accessories:

Oregon Pride also has a variety of trims and accessories which can be found on page 14 & 15 of this catalog.

Natural Standard Colours:

D4" DL4" D4.5" DL4.5" DL5" Frost	D4" DL4" D4.5" DL4.5" DL5" Bone	D4" DL4" D4.5" DL4.5" DL5" Ivory	D4" DL4" D4.5" DL4.5" DL5" Cypress	D4" DL4" D4.5" DL4.5" DL5" Stratus	D4" DL4" D4.5" DL4.5" DL5" Flagstone	D4" DL4" D4.5" DL4.5" DL5" Brownstone
D4" DL4" D4.5" DL4.5" DL5" Clay	D4" DL4" D4.5" DL4.5" DL5" Hearthstone	D4" DL4" D4.5" DL4.5" DL5" Sandalwood	D4" DL4.5" Ash	D4" DL4.5" Sandcastle	D4" DL4.5" Lite Maple	D4" DL4.5" Saffron
D4" DL4.5" Satin Grey	D4" DL4.5" Sage	D4" = Double 4" Horizontal D4.5" = Double 4.5" Horizontal DL5" = Double 5" Dutchlap DL4" = Double 4" Dutchlap DL4.5" = Double 4.5" Dutchlap				

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products



Double 5" Dutchlap
Shown in Brownstone

Length/ Pc : 12' 3.66m
Width/ Pc : 10" 25.4cm
Panels/ Ctn : 20
Coverage/ Ctn : 200 sq. ft. 18.58 m²
Nom. Thickness : .040" 1.02 mm
Windload Data : 140 mph 225 KM/h

Double 4.5" Dutchlap
Shown in Clay

Length/ Pc : 12' 3.68m
Width/ Pc : 9" 22.86cm
Panels/ Ctn : 22
Coverage/ Ctn : 200 sq. ft. 18.58 m²
Nom. Thickness : .040" 1.02 mm
Windload Data : 140 mph 225 KM/h

Double 4.5" Horizontal
Shown in Ash

Length/ Pc : 12' 3.68m
Width/ Pc : 9" 22.86cm
Panels/ Ctn : 22
Coverage/ Ctn : 200 sq. ft. 18.58 m²
Nom. Thickness : .040" 1.02 mm
Windload Data : 140 mph 225 KM/h

Double 4" Dutchlap
Shown in Saffron

Length/ Pc : 12' 3.81m
Width/ Pc : 8" 20.32cm
Panels/ Ctn : 24
Coverage/ Ctn : 200 sq. ft. 18.58 m²
Nom. Thickness : .040" 1.02 mm
Windload Data : 140 mph 225 KM/h

Double 4" Horizontal
Shown in Flagstone

Length/ Pc : 12' 3.81m
Width/ Pc : 8" 20.32cm
Panels/ Ctn : 24
Coverage/ Ctn : 200 sq. ft. 18.58 m²
Nom. Thickness : .040" 1.02 mm
Windload Data : 140 mph 225 KM/h



Subtle wood grain texture shown in Hearthstone

Southern Beaded
Shown in Hearthstone


Length/ Pc : 12'4" 3.76m	Width/ Pc: 6.5" 16.51cm
Panels/ Ctn: 30	Coverage/ Ctn: 200 sq. ft. 18.58
Nom. Thickness: .045" 1.14 mm	Windload Data: 195 mph 313KM/h

Premium .045" (heavy wall) 6.5" wide profile with distinctive grooved-bead detail. Profiles feature a subtle wood grain texture in a low gloss finish.









Trims & Accessories:

Southern Beaded also has a variety of trims and accessories which can be found on page 14 & 15 of this catalog.


Natural Standard Colours:



Performance Features:

-  COLOUR MATCHED ALUMINUM & ACCESSORIES
-  .045 THICK PREMIUM .045" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products



Equinox T3-1/3" Soffit

Length/ Pc : 12' 3.66m
Width/ Pc: 10" 25.4cm
Panels/ Ctn: 20
Coverage/ Ctn: 200 sq. ft. 18.58 m ²
Net Free Air Intake Per Foot: Vented 8.4 sq. in.

Double 5" Soffit

Length/ Pc : 12' 3.66m
Width/ Pc: 10" 25.4cm
Panels/ Ctn: 20
Coverage/ Ctn: 200 sq. ft. 18.58 m ²
Net Free Air Intake Per Foot: Perforated Full Vent: 4.2 sq. in.

6" Beaded Soffit

Length/ Pc : 12'6" 3.81m
Width/ Pc: 6" 15.2cm
Panels/ Ctn: 16
Coverage/ Ctn: 100 sq. ft. 9.29 m ²
Net Free Air Intake Per Foot: Vented 12 sq. in.

Triple 4" Soffit

Length/ Pc : 12' 3.66m
Width/ Pc: 12" 30.48cm
Panels/ Ctn: 16
Coverage/ Ctn: 192 sq. ft. 17.84 m ²
Net Free Air Intake Per Foot: Lanced: CV 2.4 sq. in. FV 7.2 sq. in. Perforated: CV 1.96 sq. in. FV 5.89 sq. in.

Natural Standard Colours:

D5" T4" B6" ET3-1/3" Frost	D5" T4" Bone	D5" T4" Ivory	D5" T4" Cypress	D5" T4" Stratus	D5" T4" Flagstone	D5" T4" ET3-1/3" Brownstone	D5" Satin Grey
D5" Clay	D5" T4" Hearthstone	D5" T4" Sandalwood	D5" Ash	D5" Sandcastle	D5" Lite Maple	D5" Saffron	D5" Sage
ET3-1/3" Musket Brown	ET3-1/3" = Equinox T3.5" Soffit B6" = 6" Beaded Soffit		D5" = Double 5" Soffit T4" = Triple 4" Soffit				

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products


PLEASANT VIEW SKIRTING

- Great alternative to wooden lattice as it will not rot or attract termites
- Easily secures to perimeter of any mobile home, cottage deck or foundation
- Special front rail design allows you to maintain access behind your skirting

	TRIPLE 4" SKIRTING		FRONT/ BACK BOTTOM RAIL	
Length/ Pc	12'	3.68 m	12'	3.66 m
Width/ Pc	12"	30.48 cm	--	--
Panels/ Ctn	16	16	16	16
Coverage/ Ctn	192 sq. ft.	17.84 m ²	192 LF	58.52 m ²


Note: Vented Skirting has 14 pcs/cart. covering 168 sq. ft./ 15.6 m²

1 MITTEN VINYL SIDING




STARTER STRIP

Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m




3-1/2" WINDOW & DOOR TRIM

Length/ Piece	12'	3.66 m
Pieces/ Carton	10	10
Coverage/ Carton	120 LF	36.58 m




1/2" J-CHANNEL - 1" FACE

Length/ Piece	12'	3.66 m
Pieces/ Carton	50	50
Coverage/ Carton	600 LF	182.88 m



WINDOW CASING TRIM

Length/ Piece	12'	3.66 m
Pieces/ Carton	10	10
Coverage/ Carton	120 LF	36.58 m




5/8" J-CHANNEL

Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m




DRIP CAP

Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m




7/8" J-CHANNEL

Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m




RECESSED WINDOW & DOOR TRIM

Length/ Piece	12'	3.66 m
Pieces/ Carton	16	16
Coverage/ Carton	192 LF	58.52 m



H-TRIM


Length/ Piece	12'	3.66 m
Pieces/ Carton	12	12
Coverage/ Carton	144 LF	36.58 m



BELT LINE


Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m

TRIMS & ACCESSORIES




FINISH TRIM

Length/ Piece	12'	3.66 m
Pieces/ Carton	40	40
Coverage/ Carton	480 LF	146.30 m




INSIDE CORNER POST

Length/ Piece	10'	3.05 m
Pieces/ Carton	20	20
Coverage/ Carton	200 LF	60.96 m




GALVANIZED STARTER STRIP

Length/ Piece	9'10"	2.99 m
Pieces/ Carton	20	20
Coverage/ Carton	196 LF	59.94 m




3" OUTSIDE CORNER POST - 10'

Length/ Piece	10'	3.05 m
Pieces/ Carton	12	12
Coverage/ Carton	120 LF	36.58 m




1/2" F-CHANNEL

Length/ Piece	12'	3.66 m
Pieces/ Carton	30	30
Coverage/ Carton	360 LF	109.73 m




3" OUTSIDE CORNER POST - 12'

Length/ Piece	12'	3.66 m
Pieces/ Carton	12	12
Coverage/ Carton	144 LF	43.89 m




FASCIA

Length/ Piece	12'	3.66 m
Pieces/ Carton	10	10
Coverage/ Carton	120 LF	36.58 m




TRADITIONAL OR FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Length/ Piece	20'	6.096 m
Pieces/ Carton	5	5
Coverage/ Carton	100 LF	30.48 m



FASCIA-J

Length/ Piece	12'	3.66 m
Pieces/ Carton	20	20
Coverage/ Carton	240 LF	73.15 m



CROWN MOLDING

Length/ Piece	12'	3.66 m
Pieces/ Carton	36	36
Coverage/ Carton	432 LF	131.67 m

1 MITTEN VINYL SIDING

INSULATED TRIMS & ACCESSORIES

STAKLOC® STARTER STRIP (for use with 1" Window & Door Trim)

Length/ Piece	12'	3.66 m
Pieces/ Carton	32	32
Coverage/ Carton	384 LF	117 m

1-1/4" J-CHANNEL

Length/ Piece	12'	3.66 m
Pieces/ Carton	30	30
Coverage/ Carton	360 LF	109.72 m

SECURELOCK™ STARTER STRIP FOR INSULPLANK® II

Length/ Piece	12'	3.66 m
Pieces/ Carton	27	27
Coverage/ Carton	324 LF	98.76 m

INSIDE CORNER POST

Length/ Piece	12'	3.66 m
Pieces/ Carton	16	16
Coverage/ Carton	192 LF	58.52 m

1-1/4" WINDOW & DOOR TRIM (for use with Stakloc® Starter Strip)

Length/ Piece	12'	3.66 m
Pieces/ Carton	10	10
Coverage/ Carton	120 LF	36.58 m

FINISH TRIM

Length/ Piece	12'	3.66 m
Pieces/ Carton	18	18
Coverage/ Carton	216 LF	65.84 m

4-3/8" OUTSIDE CORNER POST


Length/ Piece	12'	3.66 m
Pieces/ Carton	6	6
Coverage/ Carton	72 LF	21.96 m

2 ALUMINUM LONGBOARD Premium Aluminum - Pictured below in Light Fir



Longboard is architectural grade aluminum with a high performance powder coat finish. This premium aluminum siding and soffit product is available in 23 different wood grains and over 60 colours.

- Sensible maintenance free solution
- Non combustible
- Easy to install
- Highly durable and will not rot, warp or peel



Many architects and designers have turned to Longboard for a maintenance free alternative to wood.

Privacy Fence

End-Frame & Floating System Solutions for Privacy Screens, Sun Shades, Spatial Division & Decorative Walls

Features & Benefits

- Non-combustible
- 15 Year Non-Prorated Finish Warranty
- Easy Install
- Maintenance Free
- Won't rot, warp, peel or fade
- Impervious to insects
- Chrome & Phosphate Free
- VOC Free





Bring home the reliable beauty of aluminum products by Ply Gem



Ply Gem aluminum products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories by Ply Gem offer an assortment of smooth styles as well as a selection of colours designed to match or complement Mitten vinyl siding. Not only will it retain that beautiful colour over time, you never have to paint or worry – it's all virtually maintenance free.

Two coat acrylic outlasts other finishes

- Corrosion-resistant primer provides superior holding power
- Extra tough acrylic top coat resists scratches and dirt
- Resists fading and weathering year after year

SCRATCH RESISTANCE



Two-coat acrylic finish gives an ultra-thick surface that resists scrapes and scratches.

FADE RESISTANCE



Two-coat acrylic finish has excellent colour retention and ensures a consistent look for years to come.

TRIM COIL - Cuts Clean, Bends Sharp, Lays Flat



Ply Gem trim coil meets the highest aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness). Tension-leveled to create a dimensionally accurate product with uniform surfaces and excellent forming characteristics, Ply Gem trim coil is known for straight, consistent edges and an attractive finish.

- 24" x 30m Heavy Trim Coil-1sp
- 24" x 30m Heavy Trim Coil-2sp
- 24" x 50ft. Light Trim Coil-1sp
- 24" x 50ft. Light Trim Coil-2sp

Available in our Core Colours and matched to Mitten siding colours

ACCESSORIES

Ply Gem offers a complete line of colour-matched accessories that work in harmony with each product in our aluminum program. You'll be pleased how well our Starter Strip, J-channels and Drip Edge blend into the overall look and feel of your home.



J-Channel Drip Edge Starter Strip
See Matrix on page 36 for complete product offering

SOFFIT & FASCIA A Complimentary Finish

Ply Gem Aluminum Soffit & Fascia features a durable, virtually maintenance-free finish in a variety of styles. Plus venting options can help create positive air flow in the attic and rafters to help prevent moisture buildup. Add a lasting finishing touch to your soffit application with premium Aluminum Fascia. Both premium Aluminum Soffit and Fascia are available in a variety of styles and colours.



QUAD 4 SOFFIT

- Available in Solid and Full Vent Styles
- Full Vent offers 5.16" sq./in per lin/ft of net free Air space



FASCIA

- Available in 6", 8" and 10" widths
- Smooth or ribbed



RAINWARE

A Beautifully Defensive Solution



Ply Gem rainware products systematically provide years of lasting protection. You'll find a complete line of superior quality gutter and downspout coil, elbows, corners, end caps, drip edge & gutter accessories to whisk away water.




See Matrix on page 36 for complete product offering



NOVIKShake Features:

- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit™ features that simplify installation
- Impervious to moisture - will not rot
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime Limited Warranty


NovikShake products are available in the most popular shake styles. Their textures and colours are inspired by the depth and beauty of the natural environment, resulting in a perfect harmony with their surroundings. The NovikShake product offers the authentic warmth and charm of deep wood-grain texture, without the maintenance and upkeep of wood.



8.5" (21.59 cm)H x 96.5" (245.11 cm)L
Panels per box: 22
Box weight: 75 lbs. (34.02 kg)
Box size: 99.25" x 9" x 10.88"
(252.1 cm x 22.9 cm x 27.6 cm)
Coverage per box: Approx. 1 square



14.5" (36.83 cm)H x 48.75" (123.83 cm) L
Panels per box: 12
Box weight: 28 lbs. (12.7 kg)
Box size: 49.75" x 6.5" x 15"
(126.4 cm x 16.5 cm x 38.1 cm)
Coverage per box: Approx. 1/2 square




15" (38.1 cm)H x 74.25" (188.6 cm)L
Panels per box: 15
Box weight: 61 lbs. (27.67 kg)
Box size: 76" x 15.5" x 7.88"
(193 cm x 39.4 cm x 20 cm)
Coverage per box: Approx. 1 square



9.75" (24.77 cm)H x 98" (248.92 cm)L
Panels per box: 18
Box weight: 62 lbs. (28.12 kg)
Box size: 102" x 10.25" x 8.63"
(259.1 cm x 26 cm x 21.9 cm)
Coverage per box: Approx. 1 square

Easy economical installation
Novik® has developed a state-of-the-art technology that makes installation fast and easy. Our Fast-Fit technology is designed to be both simple and smart

Note:
Check with your local branch for product and colour availability.



18.75" (47.63 cm)H x 48.38" (122.87 cm)L
Panels per box: 9
Box weight: 29.8 lbs. (13.52 kg)
Box size: 49.5" x 10" x 19.25"
(125.7 cm x 25.4 cm x 48.9 cm)
Coverage per box: Approx. 1/2 square



10" (25.4 cm)H x 32" (81.3 cm)L
Panels per box: 22
Box weight: 17 lbs. (7.7 kg)
Box size: 32.5" x 10.25" x 10.5"
(82.6 cm x 26 cm x 26.7 cm)
Coverage per box: Approx. 1/3 square



8.5" (21.59 cm)H x 51.3" (129.86 cm) L
Panels per box: 23
Box weight: 32.69 lbs. (14.83 kg)
Box size: 52" x 10.75" x 9.25"
(132.1 cm x 27.3 cm x 23.5 cm)
Coverage per box: Approx. 1/2 square



*Available in Shake only

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products



Split Shake
Length/ Pc : 60.75" 154m
Width/ Pc: 7" 17.78cm
Panels/ Ctn: 34
Coverage/ Ctn: 100 sq. ft. 9.29 m²
Nominal Thickness: 0.45" 1.14mm

7" Staggered Shake
Length/ Pc : 60.75" 154m
Width/ Pc: 7" 17.78cm
Panels/ Ctn: 17
Coverage/ Ctn: 50 sq. ft. 4.65 m²
Nominal Thickness: 0.50" 1.27mm

10" Staggered Shake
Length/ Pc : 62.5" 159m
Width/ Pc: 10" 25.4cm
Panels/ Ctn: 23
Coverage/ Ctn: 100 sq. ft. 9.29 m²
Nominal Thickness: 0.50" 1.27mm

GRANDRIVER Shake & Scallops Features:

- Replicates the look and feel of real cedar panels
- Staggered panel ends create a realistic look
- Colour matched to 8 popular Mitten colours
- Colour matched aluminum and accessories

GrandRiver Scallops
Length/ Pc : 32" 0.813m
Width/ Pc: 10" 25.4cm
Panels/ Ctn: 22
Coverage/ Ctn: 33 sq. ft. 3.07 m²
Nominal Thickness: 0.80" 2.032mm

GrandRiver Shake
Length/ Pc : 96.1" 2.44m
Width/ Pc: 8.45" 21.46cm
Panels/ Ctn: 22
Coverage/ Ctn: 100 sq. ft. 9.29 m²
Nominal Thickness: 0.90" 2.286mm

FOUNDRY SHAKE Features:

- Ideal cladding for accents or large area coverage
- Cast in real cedar molds creating extraordinary authenticity
- Available in many colours including The Foundry Weathered Collection and a match to all Mitten vinyl colours

GRANDRIVER SCALLOPS

GRANDRIVER SHAKE

THE FOUNDRY SHAKE



GENSTONE Features:

- Appearance of real masonry at a fraction of the cost
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four profile patterns for an authentic finish
- 25 year limited warranty
- CCMC# 13692-R

GenStone Stacked Stone


Length/ Pc : 46" 1.17m
 Width/ Pc: 11" 27.94cm
 Panels/ Ctn: 13
 Coverage/ Ctn: 46 sq. ft. 4.27 m²



Coronado

Iron Ore

Coffee



Mojave


Keystone

Kenai



Stratford

TRIMS & ACCESSORIES



Inside Corner

Pillar

Corner

Panel

Left & Right Corner Panels

Ledger

Trim

Peaked

Flat

Pillar Caps

Corner Ledger



NOVIKStone Features:

- Accessories available in matching colours
- Seamless joints and visual appearance
- Impervious to moisture perfect for ground contact
- Lightweight yet rigid material
- Fast fit™ features that simplify installation
- Resistant to extreme temperature variation
- Resistant to warping, expansion, contraction & cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime Limited Warranty

NovikStone products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched.

NovikStone DS DRY STACK STONE



13.13" (33.34cm)H x 41.5" (105.41cm)L
 Panels per box: 10
 Box weight: 20 lbs. (9.07 kg)
 Box size: 42.25" x 10.25" x 13.63" (107.3 cm x 26 cm x 34.6 cm)
 Coverage per box: Approx. 1/4 square
 COLOUR OPTIONS
 Beige Granite, Basalt, Brownstone, Lava, Flint, Anthracite (shown), Travertine, Limestone

NovikStone SK STACKED STONE



20.25" (51.44cm)H x 45" (114.3cm)L
 Panels per box: 10
 Box weight: 38 lbs. (17.24 kg)
 Box size: 45.75" x 8.75" x 21" (116.2 cm x 21.6 cm x 53.3 cm)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS
 Aspen, Smoke Gray (shown), Moka, Terra, Onyx, Sand Blend

NovikStone HC HAND-CUT STONE



18.5" (47cm)H x 48" (121.92cm)L
 Panels per box: 9
 Box weight: 32 lbs. (14.52 kg)
 Box size: 49" x 8.25" x 19.25" (124.5 cm x 20.9 cm x 48.9 cm)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS
 Mountain Blend, Canyon Blend, Desert Blend (shown), Bark Blend

NovikStone PHC PREMIUM HAND-CUT STONE



18.5" (47cm)H x 48" (121.92cm)L
 Panels per box: 9
 Box weight: 43 lbs. (19.5 kg)
 Box size: 49" x 8.5" x 19.25" (124.5 cm x 21.6 cm x 48.9 cm)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS
 Smoke White, Shadow Gray (shown), Misty Beige

NovikBrick DHL DECO HAND-LAID BRICK



18.5" (47cm)H x 48" (121.92cm)L
 Panels per box: 9
 Box weight: 32 lbs. (14.52 kg)
 Box size: 49" x 6.75" x 19.25" (124.5 cm x 17.2 cm x 48.9 cm)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS
 Subtle Gray, Cosmo Gray, Pure White, Fusain, Titanium, Shadow (shown), Copper

NovikStone RR RIVER ROCK



19.13" (48.58cm)H x 50" (127cm)L
 Panels per box: 10
 Box weight: 39 lbs. (17.7kg)
 Box size: 51" x 11.75" x 19.25" (129.5 cm x 29.8 cm x 48.9 cm)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS
 Colorado, Ausable, Athabasca (shown)



NovikStone FS - FIELDSTONE

9.13" (48.58cm)H x 50" (127cm)L Panels per box: 10
 Box size: 51" x 11.75" x 19.25" (129.5 cm x 29.8 cm x 48.9 cm) Box weight: 41 lbs. (18.6 kg)
 Coverage per box: Approx. 1/2 square
 COLOUR OPTIONS: Grand Canyon, Adirondacks (shown), Rocky Mountains

4 WINDOWS & DOORS



Procanna Windows & Doors are distributed exclusively across Canada by Mitten



Procanna Window & Doors are a regional program available exclusively through Mitten. Manufacturing partners have been carefully chosen to supply the products in demand for each region across Canada.

The Procanna product line includes:

- Procanna Pro Windows
- Procanna Premium Windows
- Procanna Patio Doors
- Procanna Entry Doors (Steel and Fibreglass)



"All Procanna Windows & Doors are Energy Star Approved"



Selecting the right window depends on a host of factors: size, style, orientation, climate and budget to name a few. That's why we offer a complete range of windows and patio doors in both vinyl and aluminum-clad wood. Each can be configured to your needs and is backed by a limited lifetime warranty.

- Aluminum-Clad Windows
- Hybrid Windows
- Vinyl Windows
- Hinged Patio Doors
- Sliding Doors

5 ACCENTS

PLY GEM Blocks & Vents


Mounting Blocks:



Universal J-Block® Square Mounting Block
The J-Block® is designed to easily & attractively mount light fixtures & receptacles.



Universal J-Block® Scroll-Cut Mounting Block
The J-Block® is designed to easily & attractively mount light fixtures & receptacles.



Universal Large J-Block® Mounting Block
The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes.



Universal Jumbo J-Block® Mounting Block
The Jumbo J-Block® is designed to mount large light fixtures, house numbers & mailboxes.



UL Mounting Block
The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.



Split Recessed J-Block® Mounting Block
The Split Recessed J-Block® has a patented hinge that allows for ease of installation.



Mini J-Block® Mounting Block
The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.



E-Z Block Surface Mounting Block
The one-piece design can be used after siding installation to mount all types of accessories.




Meter Base Mounting Block
The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.




Large Meter Base Mounting Block
The Large Meter Base Mounting Block accommodates oversized meters.

Gable Vents:



- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the cover later
- Rectangular bases, instead of round, make siding cuts easier
- Available in virtually all vinyl siding colours
- Paintable version available
- Adjustable 5/8" - 1-1/4" for use with all siding styles

Utility Vents:



Foundation Vent
The Foundation Vent is used to ventilate crawl space areas.



Air Vent (Patent #5,293,920)
The two-piece Air Vent is used for cross-ventilation of garages, foundations and range hoods.



Louvered Exhaust Vent
Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.



Intake Louvered Vent
The Intake Louvered Vent is designed to be used with the 4" Louvered Exhaust Vent (EXVENT) when constant airflow is required.



Soffit Intake Vent
The Soffit Intake Vent provides necessary air movement through the attic and roof system to replace moist air with fresh air.



Hooded Exhaust Vent
The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out.



PLY GEM Ply Gem Trim and Mouldings offer a durable, low maintenance alternative to wood. Made from high density cellular PVC, they won't rot, warp or attract insects. You can even heat-shape them to form curves.




Trim Board & Sheets



Mouldings



Post Wraps




Corners



Skirt Board Bead Board



NO VIK Shutters



- Quick & easy installation on any surface
- Will fit your favourite style
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance free
- Extreme temperature variation resistance

- | | |
|---|---|
| Louvered sizes: | Raised Panel sizes: |
| • Widths:
12" (30.5 cm) or
14" (35.6 cm) | • Widths:
12" (30.5 cm) or
14.5" (36.8 cm) |
| • Lengths:
22" (55.88 cm) or
72" (182.9 cm) | • Lengths:
22" (55.88 cm) or
72" (182.9 cm) |

Standard Colours:

Due to the printing process colours may not be exactly as shown. Please refer to actual siding samples before making final decisions. Inquire with your distributor to confirm colours and products


White	Black	Heritage Gray	Sandstone	Green	Cream	Brick	Charcoal
Blue Gray	Dark Blue	Evergreen	Burnished Slate	Burgandy	Khaki	Heritage Brown	Forest Green



PVC fence, railing & columns provide an easy to install and low maintenance option to enhance the curb appeal of any home. With multiple colours and accessories to choose from, any exterior design project would benefit from the combination of durability and stylish elegance of PVC fence, railing & columns.



Dramatically enhance the appearance and functionality of any home with high quality aluminum railing & columns. Durable, low maintenance option that will not crack, chip, warp, rot or peel. Ask about our wide selection of sizes and styles. Corrosion resistant columns can be load bearing or decorative and are virtually maintenance free.





HOMEGUARD™ HP Plus House Wrap

- Customize with your company logo - minimum 1pallet
- CCMC Certified - Air barrier and sheathing membrane
- Reduces energy bills in both winter and summer
- Built in drainage planes, protect the home from mold and other moisture related problems
- 10-Year Warranty (UV Resistant 120 days)



DUPONT® Tyvek Home wrap & Flashing

- Unique non-woven, non-perforated house wrap
- Prevents air and water infiltration
- Allows water vapor to escape to prevent mold and water damage
- Butyl-backed flashing requires no fasteners
- Protects window and door sill from water damage

Insulation, Sealants & Foams



Professional Solutions to Reduce:

- Air Infiltration
- Moisture Entry Points
- Thermal Bridging
- Energy Loss



BENDING EQUIPMENT, SCAFFOLDING, LADDERS & HAND TOOLS



Ask your local Mitten Distributor about our wide selection of finishing solutions for all your exterior projects. We have the right tool for every job!

- Gutter Systems
- Tools
- Scaffolding
- Ladders
- Bending Equipment
- Trim Nails
- Cortex Screws
- Roofing Nails



8 CERTIFICATE OF CONFORMANCE / WARRANTY

PRODUCT PHYSICALS			
TEST	STANDARD METHOD	UNITS OF MEASURE	RESULT
IZOD Impact (0°C/32°F)	ASTM D-256	ft/lb/in.	3.53
IZOD Impact (23°C/73°F)	ASTM D-256	ft/lb/in.	33.9
Tensile Strength	ASTM D-638	PSI	8200
Modulus of elasticity	ASTM D-638	PSI	370000
Deflection of temperature under load @ 264 PSI	ASTM D-648	°F	163
Coefficient of linear expansion	ASTM D-696	x10 ⁵ in./in./°F	3.3
Chemical Resistance	ASTM D-543		excellent
Cell classification	ASTM D-1784	class#	13544-B
Compound class	ASTM D-3679-89	class#	2
FIRE RELATED PROPERTIES - PVC			
Flame spread index	ASTM E-84		15
Flame spread rating	CAN/ULC-S102.2		5
Self ignition temperature, °F	ASTM D-1929, UBC 52-3		810
Smoke density rating (%)	ASTM D-2843, UBC 52-2		42.1
Maximum smoke density (%)		56.0	
Visibility of exit sign		Good	
Total burn time, seconds	ASTM D-635		<5
Extent of burning, mm	ASTM D-635		<5
SIDING/ EXTRUDATE TYPICAL PHYSICAL PROPERTIES			
Impact Resistance (23°C/73°F)	ASTM D-4226	in-lb/mil.	2.57
Impact Resistance (0°C/32°F)	ASTM D-4226	in-lb/mil.	1.71
Low Temperature flexibility	CGSB41-GP-24Ma	% pass	>80
Shrinkage/reversion	ASTM D-1042	%	<3.0
Surface Distortion	CGSB41-GP-24Ma ASTM D-3679-02	°F	>131

CODES/STANDARDS - Mitten vinyl siding conforms and/or surpasses certification standards in many countries.

CANADA	UNITED STATES OF AMERICA	AUSTRALIA	EUROPE
CAN/CGSB-4124.95	ASTM 3679-02	AS/NZ S4256 Type B	CE Certificaiton
CCMC Acceptance No. 06419L	UBC Standard 14-2 NES NER 528		

Warranty:

All Mitten vinyl products are covered by a Lifetime Limited Warranty. Foam Back Cladding has additional coverage. See warranties or visit mittenbp.com for details and limitations.

Windload data was calculated from negative wind pressure values, derived from wind tunnel testing using standard application techniques. The relationship between negative wind pressure and miles per hour is a theoretical, industry-accepted calculation performed by an accredited lab values can be greatly enhanced by increasing nail head sizes or adding washers.

NES Certification: Mitten Inc. has received confirmation by the National Evaluation Service, Inc. (NES) at nateval.org that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.


VSI online at vinylsiding.org

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.

VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit vinylsiding.org.

9 MITTEN BRANCH LOCATIONS



WESTERN REGION

LANGLEY 20215-97th Ave. Unit #1 Langley, BC V1M 4B9 P: 778.383.1060 T: 888.566.8866 F: 866.575.1936	CALGARY 2008 - 48 Street SE Calgary, AB T2B 2E5 P: 403.253.1988 T: 888.253.1944 F: 403.252.1970	EDMONTON 8412 Davies Rd. Edmonton, AB T6E 4Y5 P: 780.468.5222 T: 800.853.9472 F: 780.466.4965	REGINA 305 Dewdney Ave. Regina, SK S4N 4G3 P: 306.545.7635 T: 877.643.4785 F: 866.871.3619	SASKATOON 2750 Faithfull Ave. Unit # 303 Saskatoon, SK S7K 6M6 P: 306.244.5777 T: 877.373.5777 F: 306.244.5779	WINNIPEG 2065 Logan Ave. Unit # 7 Winnipeg, MB R2R 0J1 P: 204.774.1580 T: 866.264.8023 F: 204.774.3843
---	---	---	--	--	--

ONTARIO REGION

MITTEN HEAD OFFICE 5A - 225 Henry St. Brantford, ON N3S 7R4 Phone: (519) 805-4701 Toll Free: 1-800-265-0774 Alternate Toll Free: 1-888-MITTEN4	MANUFACTURING FACILITY 70 Curtis Avenue North PO Box 2005 Paris, ON N3L 3T2	BRANTFORD 5A - 225 Henry St. Bldg. Brantford, ON N3S 7R4 P: P: 519.753.1810 T: 800.265.2550 F: 866.264.1986	LONDON 3969 Commerce Rd. Unit # 2 London, ON N6N 1P5 P: 519.644.2675 T: 877.858.2675 F: 519.644.9069	SCARBOROUGH 825 Middlefield Rd. Unit 2 Scarborough, ON M1V 4Z7 P: 647.725.0734 T: 866.526.3549 F: 866.867.1216	OTTAWA 2295 St Laurent Blvd. Ottawa, ON K1G 4H6 P: 613.744.7548 T: 800.267.1550 F: 613.744.2578
--	---	---	--	--	---

QUEBEC REGION

REPENTIGNY 436 Rue St-Paul Repentigny, QC J5Z 4H9 P: 514.352.9555 T: 888.352.9555 F: 866.825.8403	ST-HUBERT 3405, 1ère Rue St-Hubert, QC J3Y 8Y6 P: 438.289.1901 T: 855.432.7185 F: 866.864.1473	SHERBROOKE 144 Rue Leger Sherbrooke, QC J1L 1L9 P: 819.348.2695 T: 877.568.3132 F: 866.552.6350
---	--	---

EASTERN REGION

FREDERICTON 20 Casewood Dr. Hanwell, NB E3C 2L5 P: 506.453.0888 T: 888.663.4040 F: 506.459.7591	MONCTON 215 English Dr. Moncton, NB E1E 3Y8 P: 506.858.8824 T: 800.668.8824 F: 866.521.5778	SAINT JOHN 855 Bayside Dr. Saint John, NB E2R 1A3 P: 506.634.0034 F: 866.526.5840	DARTMOUTH 20 Gurholt Dr. Dartmouth, NS B3B 1L9 P: 902.468.3363 T: 888.565.3363 F: 902.468.5067	MOUNT PEARL 47 Clyde Ave. Mount Pearl, NL A1N 4R8 P: 709.368.4001 T: 800.4614001 F: 709.368.1014
---	---	--	--	--

BOLD PREMIUM

NATURAL STANDARD

Item Description

	Insulplank® II D6" Horizontal	Sentry® D4" Horizontal D4.5" Dutchlap Board & Batten	Highland™ D4" Horizontal D4.5" Horizontal D4.5" Dutchlap D5" Horizontal D6" Dutchlap T3" Horizontal	Oregon Pride® D4" Horizontal D4" Dutchlap D4.5" Horizontal D4.5" Dutchlap D5" Dutchlap	GrandRiver Shakes GrandRiver Scallops	Southern Beaded D5" Soft Vertical Solid Perforated FV	T4" Soffit Solid/Perforated, FV Lanced, Lanced FV & Perforated CV	Pleasant View Skirting Triple 4" Skirting, Plain & Vented Front, Back & Bottom Trims
Timber Bark	•	•	•					
Danish Gold		•	•					
Lighthouse Red		•	•					
Sapphire Blue		•	•					
Burnt Orange		•	•					
Gunmetal Grey		•	•					
Eggplant		•	•					
Annapolis Blue	•	•	•					
Aviator Green	•	•	•					
Richmond Red	•	•	•		•			
Coffee Bean	•	•	•					
Amber		•	•					
Regatta Blue		•	•					
Khaki Brown	•	•	•	•	•			•
Rockaway Grey	•	•	•	•	•			•
Muskoka Green		•	•					
Grenadier Green		•	•	•	•			
Rain Forest		•	•					
Spring Moss		•	•					
Caribou Brown		•	•					
Chestnut Brown		•	•					
Frost	•	•	•	•	•	•	•	•
Bone		•	•	•	•	•	•	•
Ivory		•	•	•	•	•	•	•
Cypress		•	•	•	•	•	•	•
Stratus	•	•	•	•	•	•	•	•
Flagstone		•	•	•	•	•	•	•
Brownstone	•	•	•	•	•	•	•	•
Clay		•	•	•	•	•	•	•
Hearthstone	•	•	•	•	•	•	•	•
Sandalwood		•	•	•	•	•	•	•
Ash		•	•	•	•	•	•	•
Sandcastle		•	•	•	•	•	•	•
Lite Maple		•	•	•	•	•	•	•
Saffron		•	•	•	•	•	•	•
Satin Grey		•	•	•	•	•	•	•
Sage		•	•	•	•	•	•	•
Musket Brown	•	•	•	•	•	•	•	•

	Equinox T3 1/3" Soft Solid Hidden Vent	6" Beaded Soffit Solid Hidden Vent	System II Soffit D5" Solid/Perforated, FV T4" Solid/Perforated, FV/CV T4" Lanced FV/CV	Trims & Accessories 1/2" J-Channel 1/2" F-Channel 5/8" J-Channel 7/8" J-Channel H-Trim Finish Trim Drip Cap Inside Corner Post 10'-3" Outside Corner Post 20'-5.5" Outside Corner Post Fluted 20'-5.5" Outside Corner Post 12' 3" Outside Corner Post Belt Line Window Casing Trim Win/Door Trim Recessed Win/Door Trim Crown Moulding Fascia & Fascia J	Insulated Trims 12'-4.5" Outside Corner Post 1 1/4" J-Channel Inside Corner Post Starter Strip Finish Trim 1 1/4" Win/Door Trim 1 1/4" Win/Door Starter
Timber Bark				•	•
Danish Gold				•	•
Lighthouse Red				•	•
Sapphire Blue				•	•
Burnt Orange				•	•
Gunmetal Grey				•	•
Eggplant				•	•
Annapolis Blue				•	•
Aviator Green				•	•
Richmond Red				•	•
Coffee Bean				•	•
Amber				•	•
Regatta Blue				•	•
Khaki Brown				•	•
Rockaway Grey				•	•
Muskoka Green				•	•
Grenadier Green				•	•
Rain Forest				•	•
Spring Moss				•	•
Caribou Brown				•	•
Chestnut Brown				•	•
Frost	•	•	•	•	•
Bone		•	•	•	•
Ivory		•	•	•	•
Cypress		•	•	•	•
Stratus	•	•	•	•	•
Flagstone		•	•	•	•
Brownstone	•	•	•	•	•
Clay		•	•	•	•
Hearthstone	•	•	•	•	•
Sandalwood		•	•	•	•
Ash		•	•	•	•
Sandcastle		•	•	•	•
Lite Maple		•	•	•	•
Saffron		•	•	•	•
Satin Grey		•	•	•	•
Sage		•	•	•	•
Musket Brown	•	•	•	•	•

Musket Brown is also available in T4" System II Full Perforated Soffit, 1/2" J-Channel (for Soffit application only) and F-Channel

2 2016 ALUMINUM COLOUR MATRIX


CORE COLOURS

Item Description	24" x 30M Heavy Trim Coil Smooth Esp	24" x 30M Heavy Trim Coil Smooth 2sp	24" x 50" Light Trim Coil Esp	24" x 50" Light Trim Coil 2sp	Quad 4" Soffit Full Vent	Quad 4" Soffit Solid	3/8" J-Channel for T4/Q4 Soffit	3/8" F-Channel for T4/Q4 Soffit	1/2" J-Channel	1/2" Double Channel Runner	Gable Trim	Drip Cap 1 7/8" x 1"	Drip Cap 1 7/8" x 2" HB	Drip Cap 1 7/8" x 3" HB	Starter Strip - 2 7/8" Galvanized	Starter Strip - 3 7/8" Galvanized	10" L-Style Ribbed Fascia	6" Ribbed Fascia	8" Ribbed Fascia	
Mill Finish #000																				
White 30D #111																				
White #001	•	•	•		•	•	•	•	•	•	•	•	•	•			•	•	•	•
Black #125	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•
Bone #010		•			•	•	•	•	•		•	•						•	•	•
Brownstone #011		•		•	•	•	•	•	•		•	•					•	•	•	•
Champagne #060		•			•	•	•	•	•		•	•						•	•	•
Dark Bronze #108		•			•	•	•	•	•		•	•					•	•	•	•
Flagstone #023		•			•	•	•	•	•		•	•						•	•	•
Forest #149		•			•	•	•	•	•		•	•						•	•	•
Hearthstone #049		•		•	•	•	•	•	•		•	•					•	•	•	•
Iron Ore #189		•			•	•	•	•	•		•	•						•	•	•
Ivory #005		•			•	•	•	•	•		•	•						•	•	•
Khaki Brown #063		•			•	•	•	•	•		•	•						•	•	•
Musket Brown #073		•			•	•	•	•	•		•	•						•	•	•
Rockaway Grey #0M0		•			•	•	•	•	•		•	•						•	•	•
Royal Brown #177		•		•	•	•	•	•	•		•	•						•	•	•
Sandalwood #018		•			•	•	•	•	•		•	•						•	•	•
Slate #006		•			•	•	•	•	•		•	•						•	•	•
Stratus #054		•			•	•	•	•	•		•	•						•	•	•
Terratone #104		•			•	•	•	•	•		•	•					•	•	•	•
Tumbleweed Tan #106		•			•	•	•	•	•		•	•						•	•	•
Ice White #118		•																		

TRIM COILS AVAILABLE IN ALL VINYL COLOURS
 *DISCONTINUED AT DEPLETION OF INVENTORY

TRIMS & ACCESSORIES

Item Description	6" Smooth Fascia	8" Smooth Fascia	.024" x 11875" Gutter Coil Esp	.024" x 11875" Gutter Coil 2sp White 30 degree on Back	.027" x 11875" Gutter Coil Esp	.027" x 11875" Gutter Coil 2sp	.024" x 13.5" Gutter Coil 2sp	5" Inside / Outside Box Miter	5" Inside / Outside Strip Miter	5" Inside / Outside Bay Mitter	5" End Cap Left / Right	5" Hidden Hanger	5" Zip Hanger	Gutter Seal	2 7/8" x 2 7/8" Downspout 10'	2 7/8" x 2 7/8" Elbow	3" x 3" Downspout 10'	3" x 3" Elbow	Universal Downspout Pipe Bands	3" x 3" Square Outlets	2 7/8" x 2 7/8" Square Outlets	Touch-up Spray Paint	Quick-Release Connector	Roof Edge 2 7/8" Top - 1 7/8" Drop		
6" Smooth Fascia																										
8" Smooth Fascia																										
.024" x 11875" Gutter Coil Esp			•																							
.024" x 11875" Gutter Coil 2sp White 30 degree on Back					•																					
.027" x 11875" Gutter Coil Esp																										
.027" x 11875" Gutter Coil 2sp																										
.024" x 13.5" Gutter Coil 2sp																										
5" Inside / Outside Box Miter																										
5" Inside / Outside Strip Miter																										
5" Inside / Outside Bay Mitter																										
5" End Cap Left / Right																										
5" Hidden Hanger																										
5" Zip Hanger																										
Gutter Seal																										
2 7/8" x 2 7/8" Downspout 10'																										
2 7/8" x 2 7/8" Elbow																										
3" x 3" Downspout 10'																										
3" x 3" Elbow																										
Universal Downspout Pipe Bands																										
3" x 3" Square Outlets																										
2 7/8" x 2 7/8" Square Outlets																										
Touch-up Spray Paint																										
Quick-Release Connector																										
Roof Edge 2 7/8" Top - 1 7/8" Drop																										



Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our stock photos, or upload and customize a photo of your own home.

Visit the enVISION it section of www.mittenbp.com

Authorized Mitten Dealer/ Distributor



MIT - 1/16 49-809-000-00



Mitten Building Products
 5A - 225 Henry Street | Brantford, ON | N3S 7R4
 Toll Free: 800.265.0774 | Fax: 866.257.2168
www.mittenbp.com

