

GenStone®






## THE BEAUTY OF STONE AT A FRACTION OF THE COST

GenStone® panels are a great way to add luxurious curb appeal to your home.  
GenStone® is the perfect application for your home, garage, patio enclosure or commercial office.

### Luxurious Stone effect comes with benefits:

- **Ease of Installation** - Simple, mortarless installation convenient for do-it-yourselfers and professional contractors
- **Authentic look and feel** - Four profile patterns, cast from real stone, ensure a genuine finish
- **Durable** - GenStone® is waterproof, impact resistant and protected against fading, peeling or blistering
- **Economical** - Installation and material costs for GenStone® are substantially less than conventional masonry
- **Color matched caulking** - Ensures a seamless finish
- **25-Year Limited Warranty**
- **CCMC# 13692-R**

	GENSTONE	
Length/Pc	46"	1.17 m
Width/Pc	11"	27.94 cm
Panels/Ctn	13	13
Coverage/Ctn	46 sq. ft.	4.27 m <sup>2</sup>



SIDING




WINDOWS



STONE



FENCE & RAIL



SHAKE



TRIM




DOORS




SOFFIT



GABLE & VENTS



GUTTERS



SHUTTERS



ACCESSORIES



Kenai



Stratford



Coronado



Iron Ore



Mojave



Coffee



Keystone

Colors are depicted as accurately as possible but may vary from actual product. Viewing actual product samples is recommended.

## TRIMS & CORNERS



Right Corner Panel



Left Corner Panel



Trim

Ledger



Peaked

Flat

Pillar Caps



Corner



Inside Corner

Corner Ledge



Pillar

## GenStone® VS. OTHER STONE

CATEGORIES	GENSTONE®	CAST & NATURAL STONE
<b>First step of Installation</b>	Ready to install out of the box	Staple/Nail lathe, mix mortar, apply scratch coat, wait until dry
<b>Next Step</b>	Measure, cut, and attach	Lay out stones, cut stones to fit, mix mortar, apply mortar to wall and/or back of stones, set stones, wait until dry
<b>Last Step</b>	Enjoy the look of stone	Mix grout, apply grout between stones, tool and clean grout, wait until dry
<b>Installation Time</b>	Single step panel system that can be completed in one day	Requires multiple steps over multiple days
<b>Skill Level</b>	Almost anyone with basic carpentry skills	Mason
<b>Waterproof</b>	Yes	No
<b>Installation Value</b>	R3.5 per inch	None
<b>Weight</b>	Approx. 1 to 1.5 lbs./sq. ft.	Cast Stone: 8 to 12 lbs./sq. ft. Natural Stone: 11 to 14 lbs./sq. ft.
<b>Substrate Requirements</b>	Strapping required	Vapor barrier, wire mesh/metal lathe, scratch coat, mortar setting bed, grouting etc.
<b>Tools Required</b>	<b>Common Construction Tools</b> Safety glasses, saw, tape measure, level, caulking gun, chalk line, utility knife, router, screw gun, key hole saw	<b>Mason Specialty Tools</b> Safety glasses, hammer or staple gun, wheelbarrow and hoe, hock & trowel, margin trowel, masonry circular table saw or grinder with diamond blade, wide mouth nippers or hatchet, dust mask, level, metal jointing tool, grout bag, whisk broom, measuring tape



## VISUALIZE THE LOOK.

Our visualizer tool takes the guesswork out of your exterior makeover. Visit The Designed Exterior Studio at [plygem.ca](http://plygem.ca) and try out different color and product combinations.

[plygem.ca](http://plygem.ca)



AUTHORIZED DEALER/DISTRIBUTOR:

49-802-900-10 MIT02/15