


## mounting blocks

Mounting blocks are used to install electrical outlets, water faucets, light fixtures, mailboxes, house numbers, and even doorbells.




Our mounting blocks are built to withstand the toughest weather and retain their color and beauty over the life of your home. They will not chip, crack, or split. All of our mounting blocks are backed by our Limited

Our mounting blocks have a twopiece design that easily adjusts from ½" to 1¼". This feature allows for easy installation over many siding choices, including insulated vinyl siding.

Our mounting blocks are available in over 100 beautiful colors. They can be matched to virtually any vinyl

## vents

We design vents for a wide variety of uses, with the classic styling and vast color palette that you've come to expect from Ply Gem. All of our vents are specially engineered to prevent intrusion by birds, insects, and animals, and are made to last for years to come.













|                           | Universal J-Block®<br>Square Mounting Block   | Universal J-Block <sup>®</sup><br>Scroll-Cut Square<br>Mounting Block   | Universal Large<br>J-Block <sup>®</sup><br>Mounting Block                                  | Universal Jumbo<br>J-Block <sup>®</sup><br>Mounting Block                                      | UL Mounting Block  |
|---------------------------|---|---|--|--|--|
| Uses                      | The J-Block® mounts provide multiple uses, including the ability to easily and attractively mount light fixtures and receptacles. | The J-Block® mounts provide multiple uses, including the ability to easily and attractively mount light fixtures and receptacles. | The Large J-Block® is designed to mount large light fixtures, house numbers and mailboxes. | The Jumbo J-Block® is designed to mount oversized light fixtures, house numbers and mailboxes. | The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets. Includes electrical box and mounting block. |
| Product<br>Code           | UNIBLØCK  | UNIBLØCKSC  | FMBLØCK  | UNIBLØCKXL   | EBLØCK<br>Includes electrical box and<br>mounting block  |
| Surface<br>Dimensions     | 8%s" x 7 %s"  | 8¾6" x 7¾6"   | 7" x 11"   | 9" x 16"   | 4%" x 5%"  |
| Flange<br>Dimensions      | 7½" x 8½"   | 7½" x 8½"   | 73/4" x 123/4"   | 11.67" x 18.71"  | 71/e" x 81/e"  |
| J-Channel I.D.*           | ½" adjusts to 1¼"   | ½" adjusts to 1¼"   | 3/4" adjusts to 11/4"  | ½" adjusts to 1¼"  | 5%" adjusts to 11/4"   |
| Knockouts                 | Round: 4" Diameter<br>Rectangle: 2%" x 3¾"  | Round: 4" Diameter<br>Rectangle: 2%" x 3¾"  | Round: 4" Diameter   | Round: 311/16" Diameter<br>Rectangle: 23/16" x 33/4"   |  |
| Limited Lifetime WARRANTY | <b>✓</b>  | <b>√</b>  | <b>√</b>   | <b>√</b>   | <b>√</b>   |
| MULTI<br>DEPTH            | <b>✓</b>  | <b>√</b>  | <b>√</b>   | <b>√</b>   | <b>√</b>   |
| PERFECT<br>MATCH          | <b>√</b>  | <b>✓</b>  | <b>√</b>   | <b>√</b>   | <b>✓</b>   |
| Technical<br>Drawing      | 799<br>899<br>899   | 1777<br>1787<br>1817  | 17-W 12-W 12-W 12-W 12-W 12-W 12-W 12-W 12   |  |  |

<sup>\*</sup> J-Channel internal dimension











| Split Recessed J-Block®<br>Mounting Block  | Mini J-Block®<br>Mounting Block  | E-Z Block <sup>™</sup> Surface<br>Mounting Block   | Meter Base<br>Mounting Block   | Large Meter Base<br>Mounting Block  |
|--|--|--|--|---|
| The Split Recessed J-Block® has a patented hinge that allows for ease of installation without removal of electrical receptacles and water faucets. | The Mini J-Block® mounting block is designed to mount small accessories such as doorbells and electrical outlet receptacles.   | The one-piece design can be used after siding installation to mount all types of accessories. Ply Gem offers sizes to fit Double 4", Double 5", Dutch Lap and Triple 3" siding profiles. | The Meter Base Mounting<br>Block is designed to mount<br>large accessories such as hose<br>racks and electric meter bases. | The Large Meter<br>Base Mounting Block<br>accommodates oversized<br>meters. |
| MBLØCKR  | MBLØCK   | Octagon: EZBLK080 — Double 4" or Double 5" EZBLK110 — Dutch Lap Square: EZBLK070 — Dutch Lap   | METER  | METERLG   |
| 5 <i>1/</i> 4" x 7"  | 6" x 4%"   | 6³¼" x 6³¼"<br>Projection: ¾"  | 16½" x 15½"  | 20" x 24"   |
| 51/8" x 71/2"  | 61/6" x 51/4"  |  | 18½" x 16¾"  | 21 ½" x 24 ½"   |
| ³¼" adjusts to 1½"   | ³¼" adjusts to 1½"   |  | 11/4"  | ½" adjusts to 1¼"   |
| Rectangle: 21/4" x 37/8"   | Round: 1½" Diameter<br>Rectangle: 2¾" x 3¾"  | Round: 1" Diameter<br>Rectangle: 2¾" x 3¾"   |  | _   |
| <b>✓</b>   | <b>√</b>   | <b>✓</b>   | <b>√</b>   | <b>√</b>  |
| <b>√</b>   | <b>√</b>   |  | <b>✓</b>   | <b>√</b>  |
| <b>✓</b>   | <b>√</b>   | ✓  | <b>√</b>   | <b>√</b>  |
| SW.  | 1W Dameter AW —— A |  | 161/-  | 20"   |



|                           | Foundation<br>Vent  | Air Vent<br>(Patent #5,293,920)  | Lou<br>Ven   | vered Exhaust<br>t  | Intake Louvered<br>Vent  | Soffit Intake<br>Vent   | Hooded Exhaust<br>Vent   |
|---------------------------|---|--|--|---|--|---|--|
| Uses                      | The Foundation Vent is used to ventilate crawl space areas. Moveable louvers can be locked open or closed and the molded in screen helps prevent pest intrusion. The two-piece design allows for quick and easy installation and is flexible to be installed on homes utilizing various construction methods, including wood-frame and masonry. | The two-piece Air Vent is used for cross-ventilation of garages, foundations, and range hoods. Design allows for open or closed flaps. The molded mesh helps prevent insect intrusion. | Vent<br>dryer<br>exhau<br>design<br>grid to<br>intrus<br>metal<br>be us<br>walls | ouvered Exhaust is used to vent s and bathroom ust fans. The unique n includes a built-in o prevent bird ion and a 10" long I tube that can ed for extra thick . Design allows for or closed flaps. | The Intake Louver Vent is designed to be used with the 4" Louvered Exhaust Vent (EXVENT) when constant airflow is required. Primarily used for high-efficiency furnaces, fireplaces, and bathroom eave exhausts. | The Soffit Intake Vent provides necessary air movement through the attic and roof system to replace moist air with fresh air. Can be used with bathroom and kitchen exhausts.  FIRE HAZARD: NEVER use Soffit Intake Vent with screen for dryer ventilation. Flammable lint build-up on screen can cause a fire. Always use a vent that is specifically designed for dryer applications. | The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out. Concealed flap stays closed when not in use. |
| Product Code              | FVENT   | AIRVENT  | 4"<br>6"   | EXVENT<br>EXVENT6   | INTAKE   | INTVENT   | DRYERHOOD  |
| Surface                   | 8 <sup>3</sup> / <sub>4</sub> " x 17"   | 7" x 11"   | 4"   | 7" x 7"   | - 45/8" H x 45/8" W x 15/8" D  | 8" x 8"   | 67/8" x 67/8"  |
| Dimensions                |   |  | 6"<br>4"   | 9" x 9"<br>8½" x 7½"  |  |   |  |
| Flange<br>Dimensions      | 9½" x 18¼"  | 7 <sup>3</sup> / <sub>4</sub> " x 12 <sup>3</sup> / <sub>4</sub> "   | 6"   | 9½" x 10¾8"   |  | 7½" x 7½"   | 65/8" x 65/8" Neutral Base   |
| J-Channel I.D.*           | <sup>3</sup> / <sub>4</sub> " adjusts to 11/ <sub>4</sub> "   | <sup>3</sup> / <sub>4</sub> " adjusts to 11/ <sub>4</sub> "  | 3/4"   | adjusts to 11/4"  |  | <sup>5</sup> / <sub>8</sub> " adjusts to 11/ <sub>4</sub> "   | 3/4" adjusts to 11/4"  |
| Net Free Area             | 50 sq in  | 19 sq in   | 4"<br>6"   | 9.2 sq in<br>17.6 sq in   | 5.5 sq in  | 9.2 sq in   |  |
| Limited Lifetime WARRANTY | <b>✓</b>  | <b>✓</b>   |  | <b>√</b>  | <b>✓</b>   | <b>✓</b>  | <b>✓</b>   |
| MULTI<br>DEPTH            | <b>√</b>  | <b>√</b>   |  | <b>√</b>  | <b>√</b>   | <b>✓</b>  | ✓  |
| PERFECT                   | <b>√</b>  | <b>✓</b>   |  | <b>√</b>  | <b>✓</b>   | <b>√</b>  | <b>/</b>   |
| Technical<br>Drawing      |   |  |  | To LONG TUBE  | 45/0"  | 7105  |  |









|                            |             | Round Desig | n          | Round To     | op Design  | Half-Round Design |
|----------------------------|-------------|-------------|------------|--------------|------------|-------------------|
| Size                       | 18"         | 22"         | 36"        | 14" x 22"    | 24" x 34"  | 34" x 22"         |
| Ventilated Opening         | 10" x 12 ½" | 10 ½" x 15" | 20½" x 26" | 10" x 121/2" | 20½" x 26" | 20" x 16"         |
| Outside Unit<br>Dimensions | 18"         | 22"         | 36"        | 14" x 22"    | 24" x 34"  | 34" x 22"         |
| Net Free Area<br>(sq in)   | 48.36       | 48.37       | 277.1      | 53.17        | 191        | 80.46             |
| Product Code               | RDGV18      | RDGV        | RDGV36     | RDTOPGV14    | RDTOPGV24  | HRDGV             |
| Technical<br>Drawing       |             |             |            |              |            |                   |

|                            | Rectangular Design |            |            | Octagonal Design |            | Square Design |  |
|----------------------------|--------------------|------------|------------|------------------|------------|---------------|--|
| Size                       | 14" x 20"          | 18" x 24"  | 24" x 30"  | 18"              | 22"        | 14" x 14"     |  |
| Ventilated Opening         | 10½" x 15"         | 16" x 20"  | 20½" x 26" | 10" x 12 ½"      | 10½" x 15" | 10" x 12 ½"   |  |
| Outside Unit<br>Dimensions | 14" x 20"          | 18" x 24"  | 24" x 30"  | 18"              | 22"        | 14" x 14"     |  |
| Net Free Area<br>(sq in)   | 23.29              | 92.88      | 181.2      | 49.72            | 49.5       | 33.59         |  |
| Product Code               | RECTGV1420         | RECTGV1824 | RECTGV2430 | OCTGV18          | OCTGV      | SQGV1414      |  |
| Technical<br>Drawing       |                    |            |            |                  |            |               |  |



## Beautiful Exteriors Start with Ply Gem.

For a complete range of exterior products designed to work together, look no further than Ply Gem. As North America's leader in low maintenance exteriors, no one offers more styles in more colors or provides more tools to help you create the look you want. From major design elements like siding and windows to architectural accents like trim and moulding, count on Ply Gem for superior quality and outstanding beauty.



Mitten Siding and Accessories







Ply Gem Stone



Ply Gem Trim and Mouldings



Ply Gem Fence and Railing



Ply Gem | 2600 Grand, Suite 900 | Kansas City, MO 64108 | 1-888-975-9436 | PlyGemAccents.ca

